

- Daschner FD, Schuster A. Disinfection and the prevention of infectious disease: no adverse effects? 2004;32:224-5 (Commentary)
- Daschner FD (see Dettenkofer et al). 2004;32:84-9
- Daschner FD (see Schuster et al). 2004;32:309 (Letter)
- Daschner FD (see Wilson et al). 2004;32:117-9 (Brief rep.)
- Dash GP, Fauerbach L, Pfeiffer J, Soule B, Bartley J, Barnard BM, Lundstrom T, Andrus M. APIC position paper: improving health care worker influenza immunization rates. 2004;32:123-5 (Special article)
- Davis CE Jr (see Vietri et al). 2004;32:262-7
- Davis KA (see Hepburn et al). 2004;32:126-30
- Davis KA (see Regules et al). 2004;32:333-6
- De Jong G (see Marais et al). 2004;32:278-81
- Dettenkofer M, Wenzler S, Amthor S, Antes G, Motschall E, Daschner FD. Does disinfection of environmental surfaces influence nosocomial infection rates? a systematic review. 2004;32:84-9
- Dettenkofer M (see Daschner et al). 2004;32:513-5 (Letter)
- Dettenkofer M (see Wilson et al). 2004;32:117-9 (Brief rep.)
- Divi C (see Braun et al). 2004;32:317-26
- Dohi Y (see Takahashi et al). 2004;32:27-30
- Dooley DP (see Hepburn et al). 2004;32:126-30
- Dooley DP (see Regules et al). 2004;32:333-6
- Dooley DP (see Vietri et al). 2004;32:262-7
- Dotsey B (see Godyn and Dotsey). 2004;32:355-7 (Brief rep.)
- Dourado I (see Gusmão et al). 2004;32:209-14
- Dowell SF (see Lee et al). 2004;32:377-83
- Dubnov J, Rubin L, Rishpon S. Is there an association between shigellosis incidence and socioeconomic status in metropolitan Haifa? 2004;32:274-7
- Duchin J (see Takahashi et al). 2004;32:7-11
- Durmaz G (see Metintas et al). 2004;32:409-15 (Global perspectives)
- Durmaz R (see Gulcan et al). 2004;32:365-8 (Brief rep.)
- Durmaz R (see Tekerekoglu et al). 2004;32:362-4 (Brief rep.)
- Dusé AG (see Marais et al). 2004;32:278-81
- E**
- Edmond MB (see Rosato et al). 2004;32:486-8 (Brief rep.)
- Ekstrand JR (see Regules et al). 2004;32:333-6
- El Masri MM, McLeskey SW, Korniewicz DM. Nosocomial bloodstream infection surveillance in trauma centers: the lack of uniform standards. 2004;32:370-1 (Letter)
- Embil J (see Taylor et al). 2004;32:155-60
- Engelman R (see Martorell et al). 2004;32:63-8
- Estella J (see Urrea et al). 2004;32:205-8
- Exner M (see Bloomfield et al). 2004;32:311-3 (Letter)
- F**
- Far G (see Bloomfield et al). 2004;32:311-3 (Letter)
- Farias LM (see Santos et al). 2004;32:414-6 (Brief rep.)
- Farr BM. The state of the science. 2004;32:106-13 (Special article)
- Fauerbach L (see Dash et al). 2004;32:123-5 (Special article)
- Fawaz NA (see Qadi et al). 2004;32:493-5 (Brief rep.)
- Feinleib M (see Korniewicz et al). 2004;32:268-73
- Ferraz V (see Marais et al). 2004;32:278-81
- Fey PD (see Rupp et al). 2004;32:445-50
- Fiaccone RL (see Gusmão et al). 2004;32:209-14
- Field KW (see Gail et al). 2004;32:239-42 (Practice forum)
- Fields R (see Logez et al). 2004;32:31-7 (Global perspectives)
- Fishbeck J (see Braun et al). 2004;32:317-26
- Fishman M, Fort GG, Jackson G, Mikolich DJ, Vallande N. Patient safety tools to avoid disaster: health care facility management of biologic agents, SARS, and uncommon contagion. 2004;32:421-3 (Practice forum)
- Fitzgerald T (see Rupp et al). 2004;32:445-50
- Fofaria R (see Regules et al). 2004;32:333-6
- Fongse T, Aiempanakit K, Ratanalerdwee T, Leelaprasasne S, Kanok-Kantapong S, Jamulitrat S. Extra charge and extra length of hospital stay attributable to postcataract surgery endophthalmitis. 2004;32:374-5 (Letter)
- Fort GG (see Fishman et al). 2004;32:421-3 (Practice forum)
- Frank U (see Schuster et al). 2004;32:309 (Letter)
- Furr LA (see Binkley et al). 2004;32:161-9
- Furuno JP, Harris AD, Wright M-O, McGregor JC, Venezia RA, Zhu J, Perencevich EN. Prediction rules to identify patients with methicillin-resistant *Staphylococcus aureus* and vancomycin-resistant enterococci upon hospital admission. 2004;32:436-40
- G**
- Gabehart KM (see Wilson et al). 2004;32:342-4
- Gachie J-P (see Rogues et al). 2004;32:441-4
- Gail C, Field KW, Simpson T, Bond EF. Clinical nurse specialists and nurse practitioners: complementary roles for infectious disease and infection control. 2004;32:239-42 (Practice forum)
- Garcia JJ (see Urrea et al). 2004;32:205-8
- Garzon L (see Korniewicz et al). 2004;32:268-73
- Gastmeier P (see Mattner and Gastmeier). 2004;32:12-6
- George S (see Arya et al). 2004;32:489-92 (Brief rep.)
- Gerberding JL (see Stevenson et al). 2004;32:255-61
- Gergen-Teague MF (see Sickbert-Bennet et al). 2004;32:69-83
- German G (see Avila-Aguero et al). 2004;32:287-90
- Geubbels ELPE, Bakker HG, van Noort-Klaasen MA, Pelk MSJ, Sassen TM, Wille JC. Promoting quality through surveillance of surgical site infections: five prevention success stories. 2004;32:424-30 (Practice forum)
- Geyik MF (see Hosoglu et al). 2004;32:131-4
- Gilliam CH. 2004 State of the science and science to practice. 2004;32:496 (State of the science)
- Godyn JJ, Dotsey B. Prevalence of the presumptive *Bacillus anthracis* in the human population examined by nasal swabs. 2004;32:355-7 (Brief rep.)
- Goertz AM, Goldrick BA. West Nile virus: a primer for infection control professionals. 2004;32:101-5 (Special article)
- Goetz AM (see Squier et al). 2004;32:242-5 (Practice forum)
- Gokula RRM, Hickner JA, Smith MA. Inappropriate use of urinary catheters in elderly patients at a midwestern community teaching hospital. 2004;32:196-9
- Goldrick BA. Canadian report: ICP needs across the health care continuum. 2004;32:1 (Guest editorial)
- Goldrick BA (see Goertz and Goldrick). 2004;32:101-5 (Special article)
- Goodman JE (see Wilson et al). 2004;32:342-4
- Graham PL III, San Gabriel P, Lutwick S, Haas J, Saiman L. Validation of a multicenter computer-based surveillance system for hospital-acquired bloodstream infections in neonatal intensive care departments. 2004;32:232-4 (Brief rep.)
- Gravel D (see Taylor et al). 2004;32:155-60
- Gruendemann BJ. Collaboration between infection control and perioperative professionals. 2004;32:55-6 (Guest editorial)
- Gulcan H, Kuzucu C, Durmaz R. Nosocomial *Stenotrophomonas maltophilia* cross-infection: three cases in newborns. 2004;32:365-8 (Brief rep.)
- Gusmão MEN, Dourado I, Fiaccone RL. Nosocomial pneumonia in the intensive care unit of a Brazilian hospital: an analysis of the time span from admission to disease onset. 2004;32:209-14
- H**
- Haas J (see Graham et al). 2004;32:232-4 (Brief rep.)
- Hahn RC (see Santos et al). 2004;32:414-6 (Brief rep.)
- Halcón L, Milkus K. *Staphylococcus aureus* and wounds: a review of tea tree oil as a promising antimicrobial. 2004;32:402-8
- Hamann CP, Rodgers PA, Sullivan KM. Skin health is an overlooked element of infection control. 2004;32:121-2 (Letter)
- Hamdan JS (see Santos et al). 2004;32:414-6 (Brief rep.)
- Hannah EL (see Stevenson et al). 2004;32:255-61
- Harris AD (see Furuno et al). 2004;32:436-40
- Health Canada, Nosocomial and Occupational Infections Section. Development of a resource model for infection prevention and control programs in acute, long term, and home care settings: conference proceedings of the Infection Prevention and Control Alliance. 2004;32:2-6 (Special article)
- Helget V (see Rupp et al). 2004;32:445-50
- Hepburn MJ, Dooley DP, Murray CK, Hospenthal DR, Hill BL, Nauschuetz WN, Davis KA, Crouch HK, McAllister K. Frequency of vaccinia virus isolation on semipermeable versus nonocclusive dressings covering smallpox vaccination sites in hospital personnel. 2004;32:126-30
- Hepburn MJ (see Regules et al). 2004;32:333-6
- Herrera JF (see Avila-Aguero et al). 2004;32:287-90
- Hickner JA (see Gokula et al). 2004;32:196-9
- Higgins W, Wainright C III, Lu N, Carrico R. Assessing hospital preparedness using an instrument based on the Mass Casualty Disaster Plan Checklist: results of a state-wide survey. 2004;32:327-32
- Hill BL (see Hepburn et al). 2004;32:126-30
- Ho C-K (see Yang et al). 2004;32:431-5
- Holcombe JM (see Joseph et al). 2004;32:456-61
- Holton D (see Taylor et al). 2004;32:155-60
- Hosoglu S, Akalin S, Kidir V, Suner A, Kayabas H, Geyik MF. Prospective surveillance study for risk factors of central venous catheter-related bloodstream infections. 2004;32:131-4
- Hospenthal DR (see Hepburn et al). 2004;32:126-30
- Hospenthal DR (see Regules et al). 2004;32:333-6
- Hosseini RS (see Askarian et al). 2004;32:23-6
- Houck P (see Stevenson et al). 2004;32:255-61

Hu KK, Lipsky BA, Veenstra DL, Saint S. Using maximal sterile barriers to prevent central venous catheter-related infection: a systemic evidence-based review. 2004;32:142-6

Huang H-Y (see Yang et al). 2004;32:431-5

Hutin Y (see Logez et al). 2004;32:31-7 (Global perspectives)

Hutsell SO (see Cromer et al). 2004;32:451-5

I

Idris MH (see Canario et al). 2004;32:371-2 (Letter)

Ikeda N (see Takashima et al). 2004;32:27-30

J

Jackson G (see Fishman et al). 2004;32:421-3 (Practice forum)

Jackson M, Jarvis WR, Scheckler WE. HICPAC/SHEA—conflicting guidelines: what is the standard of care? 2004;32:504-11 (State of the science)

Jamulitrat S, Seeluengsawat S, Boonkahasame T, Khajornetchkun W, Jitsomroury P, Sathitsupamas T, Khanti L, Preecha K. Stress ulcer prophylaxis and risk of developing ventilator-associated pneumonia. 2004;32:52 (Letter)

Jamulitrat S (see Fongse et al). 2004;32:374-5 (Letter)

Jarvis WR. The state of the science of health care epidemiology, infection control, and patient safety. 2004;32:496-503 (State of the science)

Jarvis WR (see Jackson et al). 2004;32:504-11 (State of the science)

Jitsomroury P (see Jamulitrat et al). 2004;32:52 (Letter)

Johnston L (see Taylor et al). 2004;32:155-60

Jonas D (see Wilson et al). 2004;32:117-9 (Brief rep.)

Joseph HA, Shrestha-Kuwahara R, Lowry D, Lambert LA, Panlilio AL, Raucher BG, Holcombe JM, Poujade JK, Rasmussen DM, Wilce M. Factors influencing health care worker's adherence to work site tuberculosis screening and treatment policies. 2004;32:456-61

K

Kabilan L, Velayutham T, Sundaram B, Tewari SC, Natarajan A, Rathnasamy R, Satyanarayana K. Field- and laboratory-based active dengue surveillance in Chennai, Tamil Nadu, India: observations before and during the 2001 dengue epidemic. 2004;32:391-6

Kalyoncu C (see Metintas et al). 2004;32:409-13 (Global perspectives)

Kanok-Kantapong S (see Fongse et al). 2004;32:374-5 (Letter)

Kaushik M (see Arya et al). 2004;32:489-92 (Brief rep.)

Kayabas H (see Hosoglu et al). 2004;32:131-4

Kazma H (see Tamim et al). 2004;32:220-3 (Global perspectives)

Kelkar U, Bal AM. Monitoring of steam sterilization process by biologic indicators—a necessary surveillance tool. 2004;32:512-3 (Letter)

Khajornetchkun W (see Jamulitrat et al). 2004;32:52 (Letter)

Khanti L (see Jamulitrat et al). 2004;32:52 (Letter)

Khairandish P (see Askarian et al). 2004;32:23-6

Kidir V (see Hosoglu et al). 2004;32:131-4

Knipe CJ (see Wilson et al). 2004;32:342-4

Koch F. Perspectives on barrier material standards for operating rooms. 2004;32:114-6 (Commentary)

Koehler J (see Takahashi et al). 2004;32:7-11

Korniewicz DM, Garzon L, Seltzer J, Feinleib M. Failure rates in nonlatex surgical gloves. 2004;32:268-73

Korniewicz DM (see El Masri et al). 2004;32:370-1 (Letter)

Kümmerer K (see Daschner et al). 2004;32:513-5 (Letter)

Kutlu O (see Tekerekoglu et al). 2004;32:362-4 (Brief rep.)

Kuzucu C (see Gulcan et al). 2004;32:365-8 (Brief rep.)

L

Lally RT, Lanz E, Schrock CG. Rapid control of an outbreak of *Staphylococcus aureus* on a neonatal intensive care department using standard infection control practices and nasal mupirocin. 2004;32:44-7 (Clinical case study)

Lam CHS (see Wong et al). 2004;32:90-6

Lambert LA (see Joseph et al). 2004;32:456-61

Lanz E (see Lally et al). 2004;32:44-7 (Clinical case study)

Larkin M (see Rochon-Edouard et al). 2004;32:200-4

Larson E. A tool to assess barriers to adherence to hand hygiene guideline. 2004;32:48-51 (Brief rep.)

Lasheras A (see Rogues et al). 2004;32:441-4

Latham SC (see Cromer et al). 2004;32:451-5

Laville M-F (see Rogues et al). 2004;32:441-4

Lee CP (see Chan et al). 2004;32:417-20 (Brief rep.)

Lee NE, Siriarayapon P, Tappero J, Chen K-T, Shuey D, Limpakarnjanarat K, Chavavanich A, Dowell SF. SARS Mobile Response Team Investigators. Infection control practices for SARS in Lao People's Democratic Republic, Taiwan, and Thailand: experience from mobile SARS containment teams. 2003. 2004;32:377-83

Leelaprasasne S (see Fongse et al). 2004;32:374-5 (Letter)

Lemeland J-F (see Rochon-Edouard et al). 2004;32:200-4

Lepper PM (see Trautman et al). 2004;32:296-300 (Brief rep.)

Li Y (see Wong et al). 2004;32:90-6

Limpakarnjanarat K (see Lee et al). 2004;32:377-83

Lipsky BA (see Hu et al). 2004;32:142-6

Logez S, Soyolgerel G, Fields R, Luby S, Hutin Y, Baatar U. Rapid assessment of injection practices in Mongolia. 2004;32:31-7 (Global perspectives)

Lombrail P (see Moret et al). 2004;32:384-90

Longfield JN (see Vietri et al). 2004;32:262-7

Lowry D (see Joseph et al). 2004;32:456-61

Lu N (see Higgins et al). 2004;32:327-32

Lu S-C (see Wan et al). 2004;32:17-22

Luby S (see Logez et al). 2004;32:31-7 (Global perspectives)

Lundstrom T (see Dash et al). 2004;32:123-5 (Special article)

Lutwick S (see Graham et al). 2004;32:232-4 (Brief rep.)

M

Madani TAA. Preventive strategies to keep Saudi Arabia SARS-free. 2004;32:120-1 (Letter)

Maheshwari P (see Arya et al). 2004;32:489-92 (Brief rep.)

Mainawala S (see Sherry et al). 2004;32:369-70 (Letter)

Maki DG (see Rosenthal and Maki). 2004;32:135-41

Maloba B (see Marais et al). 2004;32:278-81

Marais E, de Jong G, Ferraz V, Maloba B, Dusé AG. Interhospital transfer of pan-resistant *Acinetobacter* strains in Johannesburg, South Africa. 2004;32:278-81

Marion N (see Rupp et al). 2004;32:445-50

Martin V (see McGuckin et al). 2004;32:235-8 (Brief rep.)

Martorell C, Engelman R, Cori A, Brown RB. Surgical site infections in cardiac surgery: an 11-year perspective. 2004;32:63-8

Mattner F, Gastmeier P. Bacterial contamination of multiple-dose vials: a prevalence study. 2004;32:12-6

Mattner F, Tillmann HL. Proof of alleged transmission of hepatitis C virus by a conjunctival blood splash. 2004;32:375-6 (Letter)

McAllister K (see Hepburn et al). 2004;32:126-30

McAllister KC (see Regules et al). 2004;32:333-6

McCurren C (see Binkley et al). 2004;32:161-9

McGregor JC (see Furuno et al). 2004;32:436-40

McGuckin M, Taylor A, Martin V, Porten L, Salcido R. Evaluation of a patient education model for increasing hand hygiene compliance in an inpatient rehabilitation unit. 2004;32:235-8 (Brief rep.)

McLeskey SW (see El Masri et al). 2004;32:370-1 (Letter)

Meier PA (see Vietri et al). 2004;32:262-7

Metintas S, Akgun Y, Durmaz G, Kalyoncu C. Prevalence and characteristics of nosocomial infections in a Turkish university hospital. 2004;32:409-13 (Global perspectives)

Mikolich DJ (see Fishman et al). 2004;32:421-3 (Practice forum)

Milkus K (see Halcón L, Milkus). 2004;32:402-8

Miyamoto H (see Nomura et al). 2004;32:185-8

Moore JW (see Stevenson et al). 2004;32:255-61

Moosbauer S (see Trautman et al). 2004;32:296-300 (Brief rep.)

Moret L, Tequi B, Lombrail P. Should self-assessment methods be used to measure compliance with handwashing recommendations? a study carried out in a French university hospital. 2004;32:384-90

Motje M (see Yébenes et al). 2004;32:291-5

Motschall E (see Dettkenkofer et al). 2004;32:84-9

Muder RR (see Squier et al). 2004;32:242-5 (Practice forum)

Muratani T (see Nomura et al). 2004;32:185-8

Murphy CL (see Stevenson et al). 2004;32:255-61

Murray CK (see Hepburn et al). 2004;32:126-30

Murray CK (see Regules et al). 2004;32:333-6

Muscarella LF. Infection control and its application to the administration of intravenous medications during gastrointestinal endoscopy. 2004;32:282-6

Musharrafieh U (see Tamim et al). 2004;32:220-3 (Global perspectives)

N

Nabulsi-Majzoub M (see Tamim et al). 2004;32:220-3 (Global perspectives)

Natarajan A (see Kabilan et al). 2004;32:391-6

Nateghian A, Taylor G, Robinson JL. Risk factors for surgical site infections following open-heart surgery in a Canadian pediatric population. 2004;32:397-401

Nath KJ (see Bloomfield et al). 2004;32:311-3 (Letter)

National Nosocomial Infections Surveillance (NNIS) System Report, data summary from January 1992 through June 2004, issued October 2004 (NNIS System). 2004;32:470-85 (Special article)

Nauschuetz WN (see Hepburn et al). 2004;32:126-30

- Navarro A (see Urrea et al). 2004;32:205-8
- Nicoli JR (see Santos et al). 2004;32:414-6 (Brief rep.)
- Nomura K, Ogawa M, Miyamoto H, Muratani T, Taniguchi H. Antibiotic susceptibility of glutaraldehyde-tolerant *Mycobacterium chelonae* from bronchoscope washing machines. 2004;32:185-8
- O**
- Oberdorfer A, Wiggers JH, Bowman J, Burrows S, Cockburn J, Considine RJ. Monitoring and educational feedback to improve the compliance of tattooists and body piercers with infection control standards: a randomized controlled trial. 2004;32:147-54
- Ogawa M (see Nomura et al). 2004;32:185-8
- Okamoto Y (see Takashima et al). 2004;32:27-30
- Oliveira AC, Carvalho DV. Postdischarge surveillance: the impact on surgical site infection incidence in a Brazilian university hospital. 2004;32:358-61 (Brief rep.)
- Olmsted RN. New & noteworthy. 2004;32:516-7 (New & noteworthy)
- P**
- Pajkos A (see Vickery et al). 2004;32:170-6
- Palomar M (see Yébenes et al). 2004;32:291-5
- Pang S (see Winston et al). 2004;32:462-9
- Panilio AL (see Joseph et al). 2004;32:456-61
- Paris MM (see Avila-Aguero et al). 2004;32:287-90
- Patil S (see Chitnis et al). 2004;32:306-8 (Practice forum)
- Paton S (see Taylor et al). 2004;32:155-60
- Paul-Cheadle D (see Seal and Paul-Cheadle). 2004;32:57-62
- Pelk MSJ (see Geubbels et al). 2004;32:424-30 (Practice forum)
- Perdreau-Remington F (see Winston et al). 2004;32:462-9
- Perencevich EN (see Furuno et al). 2004;32:436-40
- Pfeiffer J (see Dash et al). 2004;32:123-5 (Special article)
- Pinto-Silva RA (see Santos et al). 2004;32:414-6 (Brief rep.)
- Pires AFB (see Santos et al). 2004;32:414-6 (Brief rep.)
- Pons J-L (see Rochon-Edouard et al). 2004;32:200-4
- Porten L (see McGuckin et al). 2004;32:235-8 (Brief rep.)
- Poujade JK (see Joseph et al). 2004;32:456-61
- Preecha K (see Jamulitrat et al). 2004;32:52 (Letter)
- Puumala S (see Rupp et al). 2004;32:445-50
- Q**
- Qadi AA, Tamin H, Ameen G, Bu-Ali A, Al-Ararray S, Fawaz NA, Almawi WY. Hepatitis B and hepatitis C virus prevalence among dialysis patients in Bahrain and Saudi Arabia: a survey by serologic and molecular methods. 2004;32:493-5 (Brief rep.)
- R**
- Rajagopal S (see Arya et al). 2004;32:489-92 (Brief rep.)
- Ramia S (see Tamim et al). 2004;32:220-3 (Global perspectives)
- Rasmussen DM (see Joseph et al). 2004;32:456-61
- Ratanalardwee T (see Fongse et al). 2004;32:374-5 (Letter)
- Rathnasamy R (see Kabilan et al). 2004;32:391-6
- Rau R (see Cordero et al). 2004;32:189-95
- Raucher BG (see Joseph et al). 2004;32:456-61
- Regules JA, Dooley DP, Hepburn MJ, Van De Car DA, Davis KA, McAllister KC, Hospenthal DR, Murray CK, Fofaria R, Ekstrand JR, Crouch HK. The effect of semipermeable dressings on smallpox vaccine site evolution. 2004;32:333-6
- Remé P (see Canario et al). 2004;32:372-4 (Letter)
- Rengasamy A, Zhuang Z, BerryAnn R. Respiratory protection against bioaerosols: literature review and research needs. 2004;32:345-54 (State of the science report)
- Reynolds M (see Sherry et al). 2004;32:369-70 (Letter)
- Rishpon S (see Dubnov et al). 2004;32:274-7
- Rives S (see Urrea et al). 2004;32:205-8
- Robertson J (see Braun et al). 2004;32:317-26
- Robinson JL (see Nateghian et al). 2004;32:397-401
- Rochon-Edouard S, Pons J-L, Veber B, Larkin M, Vassal S, Lemeland J-F. Comparative in vitro and in vivo study of nine alcohol-based handrubs. 2004;32:200-4
- Rodgers PA (see Hamann et al). 2004;32:121-2 (Letter)
- Rogues A-M, Verdun-Esquer C, Buisson-Valles I, Laville M-F, Lashéras A, Sarra A, Beaudelle H, Brochard P, Gachie J-P. Impact of safety devices for preventing percutaneous injuries related to phlebotomy procedures in health care workers. 2004;32:441-4
- Rosa RV (see Santos et al). 2004;32:414-6 (Brief rep.)
- Rosato AE, Tallent SM, Edmond NB, Bearman GML. Susceptibility of coagulase-negative staphylococcal nosocomial bloodstream isolates to the chlorhexidine/silver sulfadiazine-impregnated central venous catheter. 2004;32:486-8 (Brief rep.)
- Rosenthal VD, Maki DG. Prospective study of the impact of open and closed infusion systems on rates of central venous catheter-associated bacteremia. 2004;32:135-41
- Ruala WA (see Sickbert-Bennet et al). 2004;32:69-83
- Rubin L (see Dubnov et al). 2004;32:274-7
- Rupp ME, Fitzgerald T, Marion N, Helget V, Puumala S, Anderson JR, Fey PD. Effect of silver-coated urinary catheters: efficacy, cost-effectiveness, and antimicrobial resistance. 2004;32:246-54
- Rutala WA, Weber DJ. The benefits of surface disinfection. 2004;32:226-31 (Commentary)
- S**
- Safe Toys Study Group. The (see Avila-Aguero et al). 2004;32:287-90
- Sageshima M (see Takashima et al). 2004;32:27-30
- Saiman L (see Graham et al). 2004;32:232-4 (Brief rep.)
- Saint S (see Bent et al). 2004;32:246-54 (Current methodological concepts)
- Saint S (see Hu et al). 2004;32:142-6
- Salcido R (see McGuckin et al). 2004;32:235-8 (Brief rep.)
- Samore MH (see Stevenson et al). 2004;32:255-61
- San Gabriel P (see Graham et al). 2004;32:232-4 (Brief rep.)
- Santos SG, Carvalho MAR, Serufo JC, Pinto-Silva RA, Albuquerque W, Rosa RV, Pires AFB, Hahn RC, Hamdan JS, Nicoli JR, Farias LM. Antimicrobial susceptibility of microorganisms recovered from intraabdominal infections at Belo Horizonte, Brazil. 2004;32:414-6 (Brief rep.)
- Sarrat A (see Rogues et al). 2004;32:441-4
- SARS Mobile Response Team Investigators (see Lee et al). 2004;32:377-83
- Sassen TM (see Geubbels et al). 2004;32:424-30 (Practice forum)
- Sathitsupamas T (see Jamulitrat et al). 2004;32:52 (Letter)
- Satyanarayana K (see Kabilan et al). 2004;32:391-6
- Sawan SP, Brady MJ. Persistent silver disinfectant for the environment: myth and reality. 2004;32:309-11 (Letter reply)
- Scheckler WE (see Jackson et al). 2004;32:504-11 (State of the science)
- Schenck O (see Trapé-Cardoso and Schenck). 2004;32:301-5 (Practice forum)
- Schlager S (see Collins et al). 2004;32:38-43 (Clinical case study)
- Schmitz F-J (see Trautman et al). 2004;32:296-300 (Brief rep.)
- Schrock CG (see Lally et al). 2004;32:44-7 (Clinical case study)
- Schuster A, Frank U, Daschner FD. Persistent silver disinfectant for the environment: myth and reality. 2004;32:309 (Letter)
- Schuster A (see Daschner and Schuster). 2004;32:224-5 (Commentary)
- Schuster A (see Daschner et al). 2004;32:513-5 (Letter)
- Scott E (see Bloomfield et al). 2004;32:311-3 (Letter)
- Seal LA, Paul-Cheadle D. A systems approach to preoperative surgical patient skin preparation. 2004;32:57-62
- Seeluengsawat S (see Jamulitrat et al). 2004;32:52 (Letter)
- Seltzer J (see Korniewicz et al). 2004;32:268-73
- Serra-Prat M (see Yébenes et al). 2004;32:291-5
- Serufo JC (see Santos et al). 2004;32:414-6 (Brief rep.)
- Settee WHO (see Wong et al). 2004;32:90-6
- Sherry E, Reynolds M, Sivananthan S, Mainawala S, Warnke PH. Inhalation phytochemicals as possible treatment for pulmonary tuberculosis: two case reports. 2004;32:369-70 (Letter)
- Shirai F (see Takashima et al). 2004;32:27-30
- Shojania KG (see Bent et al). 2004;32:246-54 (Current methodological concepts)
- Shrestha-Kuwahara R (see Joseph et al). 2004;32:456-61
- Shuey D (see Lee et al). 2004;32:377-83
- Sickbert-Bennet EE, Weber DJ, Gergen-Teague ME, Ruala WA. The effects of test variables on the efficacy of hand hygiene agents. 2004;32:69-83
- Siegel JD. Science to practice debate. 2004;32:504 (State of the science)
- Simpson T (see Gail et al). 2004;32:239-42 (Practice forum)
- Singh K (see Arya et al). 2004;32:489-92 (Brief rep.)
- Siriayayon P (see Lee et al). 2004;32:377-83
- Sirven JM (see Yébenes et al). 2004;32:291-5
- Sivananthan S (see Sherry et al). 2004;32:369-70 (Letter)
- Smith MA (see Gokula et al). 2004;32:196-9
- Smith SA (see Cromer et al). 2004;32:451-5
- Sood R (see Wilson et al). 2004;32:342-4
- Soule B (see Dash et al). 2004;32:123-5 (Special article)
- Soyolgerel G (see Logez et al). 2004;32:31-7 (Global perspectives)
- Squier CL, Goetz AM, Wagener MM, Muder RR. The anergy panel: an ineffective tool to validate tuberculin skin testing. 2004;32:242-5 (Practice forum)
- Stevenson KB, Murphy CL, Samore MH, Hannah EL, Moore JW, Barbera J, Houck P, Gerberding JL. Assessing the status of infection control programs in small rural hospitals in the western United States. 2004;32:255-61
- Sullivan KM (see Hamann et al). 2004;32:121-2 (Letter)
- Sundaram B (see Kabilan et al). 2004;32:391-6
- Suner A (see Hosoglu et al). 2004;32:131-4
- Swenson P (see Takahashi et al). 2004;32:7-11

T

- Takahashi T, Koehler J, Swenson P, Duchin J. Evaluation of a public health *Salmonella* surveillance system in King County, Washington. 2004;32:7-11
- Takashima M, Shirai F, Sageshima M, Ikeda N, Okamoto Y, Dohi Y. Distinctive bacteria-binding property of cloth materials. 2004;32:27-30
- Tallent SM (see Rosato et al). 2004;32:486-8 (Brief rep.)
- Tamim H, Musharrafieh U, Ramia S, Almawi WY, Al-Jisr T, Ayoub T, Nabulsi-Majzoub M, Kazma H, Baz EK. Is seroprevalence of HTLV-III among blood donors in Lebanon relevant? 2004;32:220-3 (Global perspectives)
- Tamin H (see Qadi et al). 2004;32:493-5 (Brief rep.)
- Tang GWK (see Chan et al). 2004;32:417-20 (Brief rep.)
- Taniguchi H (see Nomura et al). 2004;32:185-8
- Tappero J (see Lee et al). 2004;32:377-83
- Taylor A (see McGuckin et al). 2004;32:235-8 (Brief rep.)
- Taylor D (see Cordero et al). 2004;32:189-95
- Taylor G, Gravel D, Johnston L, Embil J, Holton D, Paton S, Canadian Nosocomial Infection Surveillance Program, Canadian Hospital Epidemiology Committee. Incidence of bloodstream infection in multicenter inception cohorts of hemodialysis patients. 2004;32:155-60
- Taylor G (see Nateghian et al). 2004;32:397-401
- Tekerekoglu MS, Durmaz R, Çiçek A, Kutlu O. Epidemiologic and clinical features of a sepsis caused by methicillin-resistant *Staphylococcus epidermidis* (MRSE) in a pediatric intensive care unit. 2004;32:362-4 (Brief rep.)
- Tequi B (see Moret et al). 2004;32:384-90
- Tewari SC (see Kabilan et al). 2004;32:391-6
- Tillmann HL (see Mattner and Tillmann). 2004;32:375-6 (Letter)
- Trapé-Cardoso M, Schenck O. Reducing percutaneous injuries at an academic health center: a 5-year review. 2004;32:301-5 (Practice forum)
- Trautman M, Moosbauer S, Schmitz F-J, Lepper PM. Experimental study on the safety of a new connecting device. 2004;32:296-300 (Brief rep.)
- Trautner BW, Darouiche RO. Role of biofilm in catheter-associated urinary tract infection. 2004;32:177-83 (State of the science report)
- Tsai Y-H (see Wan et al). 2004;32:17-22

U

- Udou T. Dissemination of nosocomial multiple-aminoglycoside-resistant *Staphylococcus aureus* caused by horizontal transfer of the resistance determinant (*aacAaphD*) and clonal spread of resistant strains. 2004;32:215-9
- Urrea M, Rives S, Cruz O, Navarro A, Garcia JJ, Estella J. Nosocomial infections among pediatric hematology/oncology patients: results of a prospective incidence study. 2004;32:205-8

V

- Valainis GT (see Cromer et al). 2004;32:451-5
- Vallande N (see Fishman et al). 2004;32:421-3 (Practice forum)
- Van De Car DA (see Regules et al). 2004;32:333-6
- van Noort-Klaassen MA (see Geubbels et al). 2004;32:424-30 (Practice forum)
- Vassal S (see Rochon-Edouard et al). 2004;32:200-4
- Veber B (see Rochon-Edouard et al). 2004;32:200-4
- Veenstra DL (see Hu et al). 2004;32:142-6
- Velayutham T (see Kabilan et al). 2004;32:391-6
- Venezia RA (see Furuno et al). 2004;32:436-40
- Verdun-Esquer C (see Rogues et al). 2004;32:441-4

Subject index*

Abstracts for the APIC 31st Annual Educational Conference and International Meeting are located at www.mosby.com/ajic.

A

Abdomen

Antimicrobial susceptibility of microorganisms recovered from intraabdominal infections at Belo Horizonte, Brazil (Santos et al). 2004;32:414-6 (Brief rep.)

Acinetobacter

Interhospital transfer of pan-resistant *Acinetobacter* strains in Johannesburg, South Africa (Marais et al). 2004;32:278-81

*February, 1-54; April, 55-122; May, 123-184; June, 185-254; August, 255-316; October, 317-376; November, 377-430; December 431-528.

- Vickery K, Pajkos A, Cossart Y. Removal of biofilm from endoscopes: evaluation of detergent efficiency. 2004;32:170-6
- Vidaur L (see Yébenes et al). 2004;32:291-5
- Vietri NJ, Dooley DP, Davis CE Jr, Longfield JN, Meier PA, Whelen AC. The effect of moving to a new hospital facility on the prevalence of methicillin-resistant *Staphylococcus aureus*. 2004;32:262-7
- Volk M (see Wilson et al). 2004;32:342-4

W

- Wacker BB (see Cromer et al). 2004;32:451-5
- Wagener MM (see Squier et al). 2004;32:242-5 (Practice forum)
- Wainright C III (see Higgins et al). 2004;32:327-32
- Wan G-H, Lu S-C, Tsai Y-H. Polymerase chain reaction used for the detection of airborne *Mycobacterium tuberculosis* in health care settings. 2004;32:17-22
- Warne PH (see Sherry et al). 2004;32:369-70 (Letter)
- Weber DJ (see Rutala and Weber). 2004;32:226-31 (Commentary)
- Weber DJ (see Sickbert-Bennet et al). 2004;32:69-83
- Wenzler S (see Dettenkofer et al). 2004;32:84-9
- Whelen AC (see Vietri et al). 2004;32:262-7
- Wiggers JH (see Oberdorfer et al). 2004;32:147-54
- Wilce M (see Joseph et al). 2004;32:456-61
- Wille JC (see Geubbels et al). 2004;32:424-30 (Practice forum)
- Wilson C, Dettenkofer M, Jonas D, Daschner FD. Pathogen growth in herbal teas used in clinical settings: a possible source of nosocomial infections? 2004;32:117-9 (Brief rep.)
- Wilson SJ, Knipe CJ, Ziegler MJ, Gabehart KM, Goodman JE, Volk HM, Sood R. Direct costs of multidrug-resistant *Acinetobacter baumannii* in the burn unit of a public teaching hospital. 2004;32:342-4
- Winston LG, Charlebois ED, Pang S, Bangsberg DR, Perdreau-Remington F, Chambers HR III. Impact of a formulary switch from ticarcillin-clavulanate to piperacillin-tazobactam on colonization with vancomycin-resistant enterococci. 2004;32:462-9
- Wong TKS, Chung JWY, Li Y, Chan WF, Ching PTY, Lam CHS, Chow CB, Seto WH. Effective personal protective clothing for health care workers attending patients with severe acute respiratory syndrome. 2004;32:90-6
- Wright M-O (see Furuno et al). 2004;32:436-40
- Wu M-T (see Yang et al). 2004;32:431-5
- Wu T-N (see Yang et al). 2004;32:431-5

Y

- Yang C-Y (see Yang et al). 2004;32:431-5
- Yang Y-H, Wu M-T, Ho C-K, Chuang H-Y, Chen L, Yang C-Y, Huang H-Y, Wu T-N. Needlestick/sharps injuries among school nursing students in southern Taiwan. 2004;32:431-5
- Yébenes J, Vidaur L, Serra-Prat M, Sirven JM, Batlle J, Motje M, Bonet A, Palomar M. Prevention of catheter-related bloodstream infection in critically ill patients using a disinfectable, needle-free connector: a randomized controlled trial. 2004;32:291-5

Z

- Zhu J (see Furuno et al). 2004;32:436-40
- Zhuang Z (see Rengasamy et al). 2004;32:345-54 (State of the science report)
- Ziegler MJ (see Wilson et al). 2004;32:342-4

Acinetobacter baumannii

Direct costs of multidrug-resistant *Acinetobacter baumannii* in the burn unit of a public teaching hospital (Wilson et al). 2004;32:342-4

Anergy panel

The anergy panel: an ineffective tool to validate tuberculin skin testing (Squier et al). 2004;32:242-5 (Practice forum)

Anthrax

Prevalence of the presumptive *Bacillus anthracis* in the human population examined by nasal swabs (Godyn and Dotsey). 2004;32:355-7 (Brief rep.)

Antibiotics

Staphylococcus aureus and wounds: a review of tea tree oil as a promising antimicrobial (Halcón and Milkus). 2004;32:402-8

Antibody formation

Field- and laboratory-based active dengue surveillance in Chennai, Tamil Nadu, India: observations before and during the 2001 dengue epidemic (Kabilan et al). 2004;32:391-6

B

Bacillus anthracis

Prevalence of the presumptive *Bacillus anthracis* in the human population examined by nasal swabs (Godyn and Dotsey). 2004;32:355-7 (Brief rep.)

Bacteria

- Bacterial contamination of multiple-dose vials: a prevalence study (Mattner and Gastmeier). 2004;32:7-11
- Disinfection and the prevention of infectious disease (Bloomfield et al). 2004;32:311-3
- Distinctive bacteria-binding property of cloth materials (Takashima et al). 2004;32:27-30
- Persistent silver disinfectant for the environment: myth and reality (Schuster et al) (Letter) (Sawan and Brady) (Reply). 2004;32:309-11
- Removal of biofilm from endoscopes: evaluation of detergent efficiency (Vickery et al). 2004;32:170-6
- Role of biofilm in catheter-associated urinary tract infection (Trautner and Darouiche). 2004;32:177-83 (State of the science report)

Beverages

- Pathogen growth in herbal teas used in clinical settings: a possible source of nosocomial infections? (Wilson et al). 2004;32:117-9 (Brief rep.)

Biofilm

- Removal of biofilm from endoscopes: evaluation of detergent efficiency (Vickery et al). 2004;32:170-6
- Role of biofilm in catheter-associated urinary tract infection (Trautner and Darouiche). 2004;32:177-83 (State of the science report)

Bioterrorism

- Hospital bioterrorism preparedness linkages with the community: improvements over time (Braun et al). 2004;32:317-26

Blood-borne pathogens

- Enteric gram-negative bacilli bloodstream infections: 17 years' experience in a neonatal intensive care unit (Cordero et al). 2004;32:189-95
- Experimental study on the safety of a new connecting device (Trautman et al). 2004;32:296-300 (Brief rep.)

- Impact of safety devices for preventing percutaneous injuries related to phlebectomy procedures in health care workers (Rogues et al). 2004;32:441-4
- Incidence of bloodstream infection in multicenter inception cohorts of hemodialysis patients (Taylor et al). 2004;32:155-60

- Is seroprevalence of HTLV-III among blood donors in Lebanon relevant? (Tamim et al). 2004;32:220-3 (Global perspectives)

- Prevention of catheter-related bloodstream infection in critically ill patients using a disinfectable, needle-free connector: a randomized controlled trial (Yébenes et al). 2004;32:291-5

- Prospective study of the impact of open and closed infusion systems on rates of central venous catheter-associated bacteremia (Rosenthal and Maki). 2004;32:135-41

- Prospective surveillance study for risk factors of central venous catheter-related bloodstream infections (Hosoglu et al). 2004;32:131-4

- Susceptibility of coagulase-negative staphylococcal nosocomial bloodstream isolates to the chlorhexidine/silver sulfadiazine-impregnated central venous catheter (Rosato et al). 2004;32:486-8 (Brief rep.)

- Using maximal sterile barriers to prevent central venous catheter-related infection: a systemic evidence-based review (Hu et al). 2004;32:142-6

- Validation of a multicenter computer-based surveillance system for hospital-acquired bloodstream infections in neonatal intensive care departments (Graham et al). 2004;32:232-4 (Brief rep.)

Body piercing

- Monitoring and educational feedback to improve the compliance of tattooists and body piercers with infection control standards: a randomized controlled trial (Oberdorfer et al). 2004;32:147-54

Brief reports

- Brief reports. 2004;32:232-8, 296-300, 355-68, 414-20, 486-8, 489-92, 493-5

Bronchoscopes

- Antibiotic susceptibility of glutaraldehyde-tolerant *Mycobacterium chelonae* from bronchoscope washing machines (Nomura et al). 2004;32:185-8

Burns

- Direct costs of multidrug-resistant *Acinetobacter baumannii* in the burn unit of a public teaching hospital (Wilson et al). 2004;32:342-4

- Incidence and outcome of nosocomial infections in female burn patients in Shiraz, Iran (Askarian et al). 2004;32:23-6

C**Cataract extraction**

- Extra charge and extra length of hospital stay attributable to postcataract surgery endophthalmitis (Fongse et al). 2004;32:374-5 (Letter)

Catheters, indwelling

- Incidence of bloodstream infection in multicenter inception cohorts of hemodialysis patients (Taylor et al). 2004;32:155-60

- Klebsiella pneumoniae* bacteremia associated with a Tesio hemodialysis catheter (Chang and Cunha). 2004;32:374 (Letter)

- Prospective study of the impact of open and closed infusion systems on rates of central venous catheter-associated bacteremia (Rosenthal and Maki). 2004;32:135-41

- Prospective surveillance study for risk factors of central venous catheter-related bloodstream infections (Hosoglu et al). 2004;32:131-4

- Susceptibility of coagulase-negative staphylococcal nosocomial bloodstream isolates to the chlorhexidine/silver sulfadiazine-impregnated central venous catheter (Rosato et al). 2004;32:486-8 (Brief rep.)

- Using maximal sterile barriers to prevent central venous catheter-related infection: a systemic evidence-based review (Hu et al). 2004;32:142-6

Catheters, urinary

- Effect of silver-coated urinary catheters: efficacy, cost-effectiveness, and antimicrobial resistance (Rupp et al). 2004;32:445-50

- Inappropriate use of urinary catheters in elderly patients at a midwestern community teaching hospital (Gokula et al). 2004;32:196-9

Children

- Methicillin-resistant and -sensitive *Staphylococcus aureus* nasal colonization of insulin-dependent children with juvenile onset diabetes mellitus (Canario et al). 2004;32:371-2 (Letter)

- Nosocomial infections among pediatric hematology/oncology patients: results of a prospective incidence study (Urrea et al). 2004;32:205-8

- Risk factors for surgical site infections following open-heart surgery in a Canadian pediatric population (Nateghian et al). 2004;32:397-401

Citrobacter koseri

- Citrobacter koseri* infection and abscess associated with Harrington rods (Canario et al). 2004;32:372-4 (Letter)

Clavulanate

- Impact of a formulary switch from ticarcillin-clavulanate to piperacillin-tazobactam on colonization with vancomycin-resistant enterococci (Winston et al). 2004;32:462-9

Clinical case studies

- Clinical case studies. 2004;32:38-47

Clinical nurse specialists

- Clinical nurse specialists and nurse practitioners: complementary roles for infectious disease and infection control (Gail et al). 2004;32:239-42 (Practice forum)

Cloth materials

- Distinctive bacteria-binding property of cloth materials (Takashima et al). 2004;32:27-30

Commentaries

- Commentaries. 2004;32:114-6, 224-31

Conjunctiva

- Proof of alleged transmission of hepatitis C virus by a conjunctival blood splash (Mattner and Tillmann). 2004;32:375-6 (Letter)

Contact tracing

- Contact investigation of a case of active tuberculosis (Collins et al). 2004;32:38-43 (Clinical case study)

Coronary artery bypass

- Surgical site infections in cardiac surgery: an 11-year perspective (Martorell et al). 2004;32:63-8

Critically ill patients

- Stress ulcer prophylaxis and risk of developing ventilator-associated pneumonia (Jamulitrat et al). 2004;32:52 (Letter)

Cross-infection

- Comparative in vitro and in vivo study of nine alcohol-based handrubs (Rochon-Edouard et al). 2004;32:200-4

- Disinfection and the prevention of infectious disease (Bloomfield et al). 2004;32:311-3

- Dissemination of nosocomial multiple-aminoglycoside-resistant *Staphylococcus aureus* caused by horizontal transfer of the resistance determinant (*aacA/apbD*) and clonal spread of resistant strains (Udou). 2004;32:215-9

- Distinctive bacteria-binding property of cloth materials (Takashima et al). 2004;32:27-30

- Does disinfection of environmental surfaces influence nosocomial infection rates? a systematic review (Dettenkofer et al). 2004;32:84-9

- Effect of silver-coated urinary catheters: efficacy, cost-effectiveness, and antimicrobial resistance (Rupp et al). 2004;32:445-50

- Experimental study on the safety of a new connecting device (Trautman et al). 2004;32:296-300 (Brief rep.)

- HICPAC/SHEA—conflicting guidelines: what is the standard of care? (Jackson et al). 2004;32:504-11 (State of the science)

- If there now is a "standard test" for barrier materials, why the need for two more? (Belkin). 2004;32:313-6 (Letter)

- Inappropriate use of urinary catheters in elderly patients at a midwestern community teaching hospital (Gokula et al). 2004;32:196-9

- Incidence and outcome of nosocomial infections in female burn patients in Shiraz, Iran (Askarian et al). 2004;32:23-6

- Interhospital transfer of pan-resistant *Acinetobacter* strains in Johannesburg, South Africa (Marais et al). 2004;32:278-81

- Is seroprevalence of HTLV-III among blood donors in Lebanon relevant? (Tamim et al). 2004;32:220-3 (Global perspectives)

- Nosocomial bloodstream infection surveillance in trauma centers: the lack of uniform standards (El Masri et al). 2004;32:370-1 (Letter)
- Nosocomial infections among pediatric hematology/oncology patients: results of a prospective incidence study (Urrea et al). 2004;32:205-8
- Nosocomial pneumonia in the intensive care unit of a Brazilian hospital: an analysis of the time span from admission to disease onset (Gusmão et al). 2004;32:209-14
- Nosocomial *Stenotrophomonas maltophilia* cross-infection: three cases in newborns (Gulcan et al). 2004;32:365-8 (Brief rep.)
- Pathogen growth in herbal teas used in clinical settings: a possible source of nosocomial infections? (Wilson et al). 2004;32:117-9 (Brief rep.)
- Prevalence and characteristics of nosocomial infections in a Turkish university hospital (Metintas et al). 2004;32:409-13 (Global perspectives)
- Prevention of catheter-related bloodstream infection in critically ill patients using a disinfectable, needle-free connector: a randomized controlled trial (Yébenes et al). 2004;32:291-5
- Promoting quality through surveillance of surgical site infections: five prevention success stories (Geubbels et al). 2004;32:424-30 (Practice forum)
- Prospective study of the impact of open and closed infusion systems on rates of central venous catheter-associated bacteremia (Rosenthal and Maki). 2004;32:135-41
- Science to practice debate (Siegel). 2004;32:504 (State of the science)
- Survey of oral care practices in US intensive care units (Binkley et al). 2004;32:161-9
- Susceptibility of coagulase-negative staphylococcal nosocomial bloodstream isolates to the chlorhexidine/silver sulfadiazine-impregnated central venous catheter (Rosato et al). 2004;32:486-8 (Brief rep.)
- A tool to assess barriers to adherence to hand hygiene guideline (Larson). 2004;32:48-51 (Brief rep.)
- Toys in a pediatric hospital: are they a bacterial source? (Avila-Aguero et al). 2004;32:287-90
- Current methodological concepts**
- Current methodological concepts. 2004;32:246-54

D

Dengue

- Field- and laboratory-based active dengue surveillance in Chennai, Tamil Nadu, India: observations before and during the 2001 dengue epidemic (Kabilan et al). 2004;32:391-6

- Private sector hospital response to the 2003 dengue outbreak in the Indian capital metropolis of Delhi (Arya et al). 2004;32:489-92 (Brief rep.)

Diabetes mellitus

- Methicillin-resistant and -sensitive *Staphylococcus aureus* nasal colonization of insulin-dependent children with juvenile onset diabetes mellitus (Canario et al). 2004;32:371-2 (Letter)

Disaster planning

- Assessing hospital preparedness using an instrument based on the Mass Casualty Disaster Plan Checklist: results of a state-wide survey (Higgins et al). 2004;32:327-32

Disinfectants

- Persistent silver disinfectant for the environment: myth and reality (Schuster et al) (Letter) (Sawan and Brady) (Reply). 2004;32:309-11

Disinfection

- The benefits of surface disinfection (Rutala and Weber). 2004;32:226-31 (Commentary)
- Disinfection and the prevention of infectious disease: no adverse effects? (Daschner and Schuster). 2004;32:224-5 (Commentary)
- Disinfection and the prevention of infectious disease (Bloomfield et al). 2004;32:311-3 (Letter)
- Does disinfection of environmental surfaces influence nosocomial infection rates? a systematic review (Dettenkofer et al). 2004;32:84-9
- No routine surface disinfection (Daschner et al). 2004;32:513-5 (Letter)
- Practical limitations of disinfection of body fluid spills with 10,000 ppm sodium hypochlorite (NaOCL) (Chitnis et al). 2004;32:306-8 (Practice forum)

Dressings

- The effect of semipermeable dressings on smallpox vaccine site evolution (Regules et al). 2004;32:333-6
- Frequency of vaccinia virus isolation on semipermeable versus nonocclusive dressings covering smallpox vaccination sites in hospital personnel (Hepburn et al). 2004;32:126-30

Drug resistance, microbial

- Antibiotic susceptibility of glutaraldehyde-tolerant *Mycobacterium chelonae* from bronchoscope washing machines (Nomura et al). 2004;32:185-8
- Antimicrobial susceptibility of microorganisms recovered from intraabdominal infections at Belo Horizonte, Brazil (Santos et al). 2004;32:414-6 (Brief rep.)

- Direct costs of multidrug-resistant *Acinetobacter baumannii* in the burn unit of a public teaching hospital (Wilson et al). 2004;32:342-4
- Dissemination of nosocomial multiple-aminoglycoside-resistant *Staphylococcus aureus* caused by horizontal transfer of the resistance determinant (*aacA/aphD*) and clonal spread of resistant strains (Udou). 2004;32:215-9
- The effect of moving to a new hospital facility on the prevalence of methicillin-resistant *Staphylococcus aureus* (Vietri et al). 2004;32:262-7
- Effect of silver-coated urinary catheters: efficacy, cost-effectiveness, and antimicrobial resistance (Rupp et al). 2004;32:445-50
- Enteric gram-negative bacilli bloodstream infections: 17 years' experience in a neonatal intensive care unit (Cordero et al). 2004;32:189-95
- Epidemiologic and clinical features of a sepsis caused by methicillin-resistant *Staphylococcus epidermidis* (MRSE) in a pediatric intensive care unit (Tekerekoglu et al). 2004;32:362-4 (Brief rep.)
- Impact of implementing a method of feedback and accountability related to contact precautions compliance (Cromer et al). 2004;32:451-5
- Interhospital transfer of pan-resistant *Acinetobacter* strains in Johannesburg, South Africa (Marais et al). 2004;32:278-81
- Methicillin-resistant and -sensitive *Staphylococcus aureus* nasal colonization of insulin-dependent children with juvenile onset diabetes mellitus (Canario et al). 2004;32:371-2 (Letter)
- New & noteworthy (Olmsted). 2004;32:516-7 (New & noteworthy)
- Prediction rules to identify patients with methicillin-resistant *Staphylococcus aureus* and vancomycin-resistant enterococci upon hospital admission (Furuno et al). 2004;32:436-40
- Science to practice debate (Siegel). 2004;32:504 (State of the science)

E

Emergency medical services

- Assessing hospital preparedness using an instrument based on the Mass Casualty Disaster Plan Checklist: results of a state-wide survey (Higgins et al). 2004;32:327-32

- Hospital bioterrorism preparedness linkages with the community: improvements over time (Braun et al). 2004;32:317-26

Endophthalmitis

- Extra charge and extra length of hospital stay attributable to postcataract surgery endophthalmitis (Fongse et al). 2004;32:374-5 (Letter)

Endoscopes, gastrointestinal

- Infection control and its application to the administration of intravenous medications during gastrointestinal endoscopy (Muscarella). 2004;32:282-6
- Removal of biofilm from endoscopes: evaluation of detergent efficiency (Vickery et al). 2004;32:170-6

Epidemiology

- 2004 State of the science and science to practice (Gilliam). 2004;32:496 (State of the science)
- Contact investigation of a case of active tuberculosis (Collins et al). 2004;32:38-43 (Clinical case study)
- Is there an association between shigellosis incidence and socioeconomic status in metropolitan Haifa? (Dubnov et al). 2004;32:274-7
- Prevalence and characteristics of nosocomial infections in a Turkish university hospital (Metintas et al). 2004;32:409-13 (Global perspectives)
- The state of the science of health care epidemiology, infection control, and patient safety. 2004 (Jarvis). 2004;32:496-503 (State of the science)

Equipment and supplies

- Impact of FDA policy change on the reuse of single-use medical devices in Michigan hospitals (Alfa and Castillo). 2004;32:337-41
- Prevalence of the presumptive *Bacillus anthracis* in the human population examined by nasal swabs (Godyn and Dotsey). 2004;32:355-7 (Brief rep.)

Equipment contamination

- Antibiotic susceptibility of glutaraldehyde-tolerant *Mycobacterium chelonae* from bronchoscope washing machines (Nomura et al). 2004;32:185-8
- Bacterial contamination of multiple-dose vials: a prevalence study (Mattner and Gastmeier). 2004;32:7-11
- Experimental study on the safety of a new connecting device (Trautman et al). 2004;32:296-300 (Brief rep.)
- Monitoring of steam sterilization process by biologic indicators—a necessary surveillance tool (Kelkar and Bal). 2004;32:512-3 (Letter)
- Prevention of catheter-related bloodstream infection in critically ill patients using a disinfectable, needle-free connector: a randomized controlled trial (Yébenes et al). 2004;32:291-5

Evidence-based medicine

- Evidence-based practice in perioperative nursing (Beyea). 2004;32:97-100 (Special article)
- HICPAC/SHEA—conflicting guidelines: what is the standard of care? (Jackson et al). 2004;32:504-11 (State of the science)
- Using maximal sterile barriers to prevent central venous catheter-related infection: a systemic evidence-based review (Hu et al). 2004;32:142-6

F

Feedback

Impact of implementing a method of feedback and accountability related to contact precautions compliance (Cromer et al). 2004;32:451-5

Food and Drug Administration, U.S.

Impact of FDA policy change on the reuse of single-use medical devices in Michigan hospitals (Alfa and Castillo). 2004;32:337-41

G

Global perspectives

Global perspectives. 2004;32:31-7, 220-3, 409-13

Gloves, protective

Failure rates in nonlatex surgical gloves (Korniewicz et al). 2004;32:268-73

If there now is a "standard test" for barrier materials, why the need for two more? (Belkin). 2004;32:313-6 (Letter)

Guest editorials

Guest editorials. 2004;32:1, 55-6

Guideline adherence

Factors influencing health care worker's adherence to work site tuberculosis screening and treatment policies (Joseph et al). 2004;32:456-61

H

Hand hygiene

Comparative in vitro and in vivo study of nine alcohol-based handrubs (Rochon-Edouard et al). 2004;32:200-4

The effects of test variables on the efficacy of hand hygiene agents (Sickbert-Bennet et al). 2004;32:69-83

Evaluation of a patient education model for increasing hand hygiene compliance in an inpatient rehabilitation unit (McGuckin et al). 2004;32:235-8 (Brief rep.)

A tool to assess barriers to adherence to hand hygiene guideline (Larson). 2004;32:48-51 (Brief rep.)

Handwashing

Should self-assessment methods be used to measure compliance with handwashing recommendations? a study carried out in a French university hospital (Moret et al). 2004;32:384-90

Harrington rods

Citrobacter koseri infection and abscess associated with Harrington rods. 2004;32:371-2 (Letter)

Health care costs

Direct costs of multidrug-resistant *Acinetobacter baumannii* in the burn unit of a public teaching hospital (Wilson et al). 2004;32:342-4

Extra charge and extra length of hospital stay attributable to postcataract surgery endophthalmitis (Fongre et al). 2004;32:374-5 (Letter)

Health personnel

APIC position paper: improving health care worker influenza immunization rates (Dash et al). 2004;32:123-5 (Special article)

Assessing the status of infection control programs in small rural hospitals in the western United States (Stevenson et al). 2004;32:255-61

Canadian report: ICP needs across the health care continuum (Goldrick). 2004;32:1 (Guest editorial)

Clinical nurse specialists and nurse practitioners: complementary roles for infectious disease and infection control (Gail et al). 2004;32:239-42 (Practice forum)

Collaboration between infection control and perioperative professionals (Gruendemann). 2004;32:55-6 (Guest editorial)

Comparative in vitro and in vivo study of nine alcohol-based handrubs (Rochon-Edouard et al). 2004;32:200-4

Effective personal protective clothing for health care workers attending patients with severe acute respiratory syndrome (Wong et al). 2004;32:90-6

The effects of test variables on the efficacy of hand hygiene agents (Sickbert-Bennet et al). 2004;32:69-83

Factors influencing health care worker's adherence to work site tuberculosis screening and treatment policies (Joseph et al). 2004;32:456-61

Impact of implementing a method of feedback and accountability related to contact precautions compliance (Cromer et al). 2004;32:451-5

Impact of safety devices for preventing percutaneous injuries related to phlebotomy procedures in health care workers (Rogues et al). 2004;32:441-4

Proof of alleged transmission of hepatitis C virus by a conjunctival blood splash (Mattner and Tillmann). 2004;32:375-6 (Letter)

Reducing percutaneous injuries at an academic health center: a 5-year review (Trapé-Cardoso and Schenck). 2004;32:301-5 (Practice forum)

Should self-assessment methods be used to measure compliance with handwashing recommendations? a study carried out in a French university hospital (Moret et al). 2004;32:384-90

A tool to assess barriers to adherence to hand hygiene guideline (Larson). 2004;32:48-51 (Brief rep.)

Universal SARS preventive measures in an obstetrics unit: experience of health care staff (Chan et al). 2004;32:417-20 (Brief rep.)

West Nile virus: a primer for infection control professionals (Goertz and Goldrick). 2004;32:101-5 (Special article)

Health services research

The effects of test variables on the efficacy of hand hygiene agents (Sickbert-Bennet et al). 2004;32:69-83

Heart surgery

Risk factors for surgical site infections following open-heart surgery in a Canadian pediatric population (Nateghian et al). 2004;32:397-401

Hemodialysis

Incidence of bloodstream infection in multicenter inception cohorts of hemodialysis patients (Taylor et al). 2004;32:155-60

Klebsiella pneumoniae bacteremia associated with a Tesio hemodialysis catheter (Chang and Cunha). 2004;32:374 (Letter)

Hepatitis C

Proof of alleged transmission of hepatitis C virus by a conjunctival blood splash (Mattner and Tillmann). 2004;32:375-6 (Letter)

HHS pandemic influenza response and preparedness plan

New & noteworthy (Olmsted). 2004;32:516-7 (New & noteworthy)

Home care

Canadian report: ICP needs across the health care continuum (Goldrick). 2004;32:1 (Guest editorial)

Development of a resource model for infection prevention and control programs in acute, long term, and home care settings: conference proceedings of the Infection Prevention and Control Alliance (Health Canada, Nosocomial and Occupational Infections Section.). 2004;32:2-6 (Special article)

Hospitals

Assessing hospital preparedness using an instrument based on the Mass Casualty Disaster Plan Checklist: results of a state-wide survey (Higgins et al). 2004;32:327-32

The benefits of surface disinfection (Rutala and Weber). 2004;32:226-31 (Commentary)

Canadian report: ICP needs across the health care continuum (Goldrick). 2004;32:1 (Guest editorial)

Development of a resource model for infection prevention and control programs in acute, long term, and home care settings: conference proceedings of the Infection Prevention and Control Alliance (Health Canada, Nosocomial and Occupational Infections Section.). 2004;32:2-6 (Special article)

Does disinfection of environmental surfaces influence nosocomial infection rates? a systematic review (Dettenkofer et al). 2004;32:84-9

The effect of moving to a new hospital facility on the prevalence of methicillin-resistant *Staphylococcus aureus* (Vietri et al). 2004;32:262-7

Evaluation of a patient education model for increasing hand hygiene compliance in an inpatient rehabilitation unit (McGuckin et al). 2004;32:235-8 (Brief rep.)

Hospital bioterrorism preparedness linkages with the community: improvements over time (Braun et al). 2004;32:317-26

Impact of FDA policy change on the reuse of single-use medical devices in Michigan hospitals (Alfa and Castillo). 2004;32:337-41

Incidence and outcome of nosocomial infections in female burn patients in Shiraz, Iran (Askarian et al). 2004;32:23-6

Infection control practices for SARS in Lao People's Democratic Republic, Taiwan, and Thailand: experience from mobile SARS containment teams, 2003 (Lee et al). 2004;32:377-83

No routine surface disinfection (Daschner et al). 2004;32:513-5 (Letter)

Pathogen growth in herbal teas used in clinical settings: a possible source of nosocomial infections? (Wilson et al). 2004;32:117-9 (Brief rep.)

Patient safety tools to avoid disaster: health care facility management of biologic agents, SARS, and uncommon contagion (Fishman et al). 2004;32:421-3 (Practice forum)

Prediction rules to identify patients with methicillin-resistant *Staphylococcus aureus* and vancomycin-resistant enterococci upon hospital admission (Furuno et al). 2004;32:436-40

The use of systematic reviews and meta-analyses in infection control and hospital epidemiology (Bent et al). 2004;32:246-54 (Current methodological concepts)

Hospitals, pediatric

Toys in a pediatric hospital: are they a bacterial source? (Avila-Aguero et al). 2004;32:287-90

Hospitals, private

Private sector hospital response to the 2003 dengue outbreak in the Indian capital metropolis of Delhi (Arya et al). 2004;32:489-92 (Brief rep.)

Hospitals, rural

Assessing the status of infection control programs in small rural hospitals in the western United States (Stevenson et al). 2004;32:255-61

Hospitals, teaching

Inappropriate use of urinary catheters in elderly patients at a midwestern community teaching hospital (Gokula et al). 2004;32:196-9

Hospitals, university

Postdischarge surveillance: the impact on surgical site infection incidence in a Brazilian university hospital (Oliveira and Carvalho). 2004;32:358-61 (Brief rep.)

Prevalence and characteristics of nosocomial infections in a Turkish university hospital (Metintas et al). 2004;32:409-13 (Global perspectives)

Should self-assessment methods be used to measure compliance with handwashing recommendations? a study carried out in a French university hospital (Moret et al). 2004;32:384-90

HTLV-I/II

Is seroprevalence of HTLV-I/II among blood donors in Lebanon relevant? (Tamim et al). 2004;32:220-3 (Global perspectives)

I**Immunization**

APIC position paper: improving health care worker influenza immunization rates (Dash et al). 2004;32:123-5 (Special article)

Infants, newborn

Nosocomial *Stenotrophomonas maltophilia* cross-infection: three cases in newborns (Gulcan et al). 2004;32:365-8 (Brief rep.)

Infection control

Assessing the status of infection control programs in small rural hospitals in the western United States (Stevenson et al). 2004;32:255-61

The benefits of surface disinfection (Rutala and Weber). 2004;32:226-31 (Commentary)

Disinfection and the prevention of infectious disease: no adverse effects? (Daschner and Schuster). 2004;32:224-5 (Commentary)

Failure rates in nonlatex surgical gloves (Korniewicz et al). 2004;32:268-73

HICPAC/SHEA—conflicting guidelines: what is the standard of care? (Jackson et al). 2004;32:504-11 (State of the science)

Infection control and its application to the administration of intravenous medications during gastrointestinal endoscopy (Muscarella). 2004;32:282-6

Infection control practices for SARS in Lao People's Democratic Republic, Taiwan, and Thailand: experience from mobile SARS containment teams, 2003 (Lee et al). 2004;32:377-83

Monitoring and educational feedback to improve the compliance of tattooists and body piercers with infection control standards: a randomized controlled trial (Oberdorfer et al). 2004;32:147-54

No routine surface disinfection (Daschner et al). 2004;32:513-5 (Letter)

Patient safety tools to avoid disaster: health care facility management of biologic agents, SARS, and uncommon contagion (Fishman et al). 2004;32:421-3 (Practice forum)

Perspectives on barrier material standards for operating rooms (Koch). 2004;32:114-6 (Commentary)

Practical limitations of disinfection of body fluid spills with 10,000 ppm sodium hypochlorite (NaOCL) (Chitnis et al). 2004;32:306-8 (Practice forum)

Preventive strategies to keep Saudi Arabia SARS-free (Madani). 2004;32:120-1 (Letter)

Private sector hospital response to the 2003 dengue outbreak in the Indian capital metropolis of Delhi (Arya et al). 2004;32:489-92 (Brief rep.)

Reducing percutaneous injuries at an academic health center: a 5-year review (Trapé-Cardoso and Schenck). 2004;32:301-5 (Practice forum)

Respiratory protection against bioaerosols: literature review and research needs (Rengasamy et al). 2004;32:345-54 (State of the science report)

Science to practice debate (Siegel). 2004;32:504 (State of the science)

Skin health is an overlooked element of infection control (Hamann et al). 2004;32:121-2 (Letter)

The state of the science (Farr). 2004;32:106-13 (Special article)

The state of the science of health care epidemiology, infection control, and patient safety, 2004 (Jarvis). 2004;32:496-503 (State of the science)

Surgical site infections in cardiac surgery: an 11-year perspective (Martorell et al). 2004;32:63-8

West Nile virus: a primer for infection control professionals (Goertz and Goldrick). 2004;32:101-5 (Special article)

Influenza

APIC position paper: improving health care worker influenza immunization rates (Dash et al). 2004;32:123-5 (Special article)

New & noteworthy (Olmsted). 2004;32:516-7 (New & noteworthy)

Inhalation therapy

Inhalation phytochemicals as possible treatment for pulmonary tuberculosis: two case reports (Sherry et al). 2004;32:369-70 (Letter)

Injections

Rapid assessment of injection practices in Mongolia (Logez et al). 2004;32:31-7 (Global perspectives)

Intensive care units

Nosocomial pneumonia in the intensive care unit of a Brazilian hospital: an analysis of the time span from admission to disease onset (Gusmão et al). 2004;32:209-14

Survey of oral care practices in US intensive care units (Binkley et al). 2004;32:161-9

Intensive care units, pediatric

Epidemiologic and clinical features of a sepsis caused by methicillin-resistant *Staphylococcus epidermidis* (MRSE) in a pediatric intensive care unit (Tekerekoglu et al). 2004;32:362-4 (Brief rep.)

Internship and residency

Needlestick/sharps injuries among school nursing students in southern Taiwan (Yang et al). 2004;32:431-5

Intravenous medications

Infection control and its application to the administration of intravenous medications during gastrointestinal endoscopy (Muscarella). 2004;32:282-6

J**Joint Commission on Accreditation of Healthcare Organizations (JCAHO)**

New & noteworthy (Olmsted). 2004;32:516-7 (New & noteworthy)

K***Klebsiella pneumoniae***

Klebsiella pneumoniae bacteremia associated with a Tesio hemodialysis catheter (Chang and Cunha). 2004;32:374 (Letter)

L**Length of stay**

Extra charge and extra length of hospital stay attributable to postcataract surgery endophthalmitis (Fongsre et al). 2004;32:374-5 (Letter)

Letters

Citrobacter koseri infection and abscess associated with Harrington rods. 2004;32:372-4

Disinfection and the prevention of infectious disease (Bloomfield et al). 2004;32:311-3

Extra charge and extra length of hospital stay attributable to postcataract surgery endophthalmitis (Fongsre et al). 2004;32:374-5

If there now is a "standard test" for barrier materials, why the need for two more? (Belkin). 2004;32:313-6

Inhalation phytochemicals as possible treatment for pulmonary tuberculosis: two case reports (Sherry et al). 2004;32:369-70

Klebsiella pneumoniae bacteremia associated with a Tesio hemodialysis catheter (Chang and Cunha). 2004;32:374

Methicillin-resistant and -sensitive *Staphylococcus aureus* nasal colonization of insulin-dependent children with juvenile onset diabetes mellitus (Canario et al). 2004;32:371-2

Monitoring of steam sterilization process by biologic indicators—a necessary surveillance tool (Kelkar and Bal). 2004;32:512-3 (Letter)

No routine surface disinfection (Daschner et al). 2004;32:513-5

Nosocomial bloodstream infection surveillance in trauma centers: the lack of uniform standards (El Masri et al). 2004;32:370-1

Persistent silver disinfectant for the environment: myth and reality (Schuster et al) (Letter) (Sawan and Brady) (Reply). 2004;32:309-11

Preventive strategies to keep Saudi Arabia SARS-free (Madani). 2004;32:120-1

Proof of alleged transmission of hepatitis C virus by a conjunctival blood splash (Mattner and Tillmann). 2004;32:375-6

Skin health is an overlooked element of infection control (Hamann et al). 2004;32:121-2

Stress ulcer prophylaxis and risk of developing ventilator-associated pneumonia (Jamulitrat et al). 2004;32:52

Long-term care

Canadian report: ICP needs across the health care continuum (Goldrick). 2004;32:1 (Guest editorial)

Development of a resource model for infection prevention and control programs in acute, long term, and home care settings: conference proceedings of the Infection Prevention and Control Alliance (Health Canada, Nosocomial and Occupational Infections Section.). 2004;32:2-6 (Special article)

M**Methicillin resistance**

Epidemiologic and clinical features of a sepsis caused by methicillin-resistant *Staphylococcus epidermidis* (MRSE) in a pediatric intensive care unit (Tekerekoglu et al). 2004;32:362-4 (Brief rep.)

Prediction rules to identify patients with methicillin-resistant *Staphylococcus aureus* and vancomycin-resistant enterococci upon hospital admission (Furuno et al). 2004;32:436-40

Mongolia

Rapid assessment of injection practices in Mongolia (Logez et al). 2004;32:31-7 (Global perspectives)

Multiple-dose vials

Bacterial contamination of multiple-dose vials: a prevalence study (Mattner and Gastmeier). 2004;32:12-6

Mupirocin

Rapid control of an outbreak of *Staphylococcus aureus* on a neonatal intensive care department using standard infection control practices and nasal mupirocin (Lally et al). 2004;32:44-7 (Clinical case study)

Mycobacterium chelonae

Antibiotic susceptibility of glutaraldehyde-tolerant *Mycobacterium chelonae* from bronchoscope washing machines (Nomura et al). 2004;32:185-8

Mycobacterium tuberculosis

Polymerase chain reaction used for the detection of airborne *Mycobacterium tuberculosis* in health care settings (Wan et al). 2004;32:17-22

N**National Nosocomial Infections Surveillance (NNIS) System Report**

Data summary from January 1992 through June 2004, issued October 2004 (NNIS System). 2004;32:470-85 (Special article)

Needlestick injuries

Impact of safety devices for preventing percutaneous injuries related to phlebotomy procedures in health care workers (Rogues et al). 2004;32:441-4

Needlestick/sharps injuries among school nursing students in southern Taiwan (Yang et al). 2004;32:431-5

Rapid assessment of injection practices in Mongolia (Logez et al). 2004;32:31-7 (Global perspectives)

Neonatal intensive care units

Enteric gram-negative bacilli bloodstream infections: 17 years' experience in a neonatal intensive care unit (Cordero et al). 2004;32:189-95

Rapid control of an outbreak of *Staphylococcus aureus* on a neonatal intensive care department using standard infection control practices and nasal mupirocin (Lally et al). 2004;32:44-7 (Clinical case study)

Validation of a multicenter computer-based surveillance system for hospital-acquired bloodstream infections in neonatal intensive care departments (Graham et al). 2004;32:232-4 (Brief rep.)

Nurse practitioners

Clinical nurse specialists and nurse practitioners: complementary roles for infectious disease and infection control (Gail et al). 2004;32:239-42 (Practice forum)

O**Obstetrics and gynecology department, hospital**

Universal SARS preventive measures in an obstetrics unit: experience of health care staff (Chan et al). 2004;32:417-20 (Brief rep.)

Oncology service, hospital

Nosocomial infections among pediatric hematology/oncology patients: results of a prospective incidence study (Urrea et al). 2004;32:205-8

Operating rooms

Collaboration between infection control and perioperative professionals (Gruenemann). 2004;32:55-6 (Guest editorial)

Evidence-based practice in perioperative nursing (Beyea). 2004;32:97-100 (Special article)

Perspectives on barrier material standards for operating rooms (Koch). 2004;32:114-6 (Commentary)

Oral hygiene

Survey of oral care practices in US intensive care units (Binkley et al). 2004;32:161-9

P**Patient education**

Evaluation of a patient education model for increasing hand hygiene compliance in an inpatient rehabilitation unit (McGuckin et al). 2004;32:235-8 (Brief rep.)

Perioperative care

Collaboration between infection control and perioperative professionals (Gruenemann). 2004;32:55-6 (Guest editorial)

Evidence-based practice in perioperative nursing (Beyea). 2004;32:97-100 (Special article)

A systems approach to preoperative surgical patient skin preparation (Seal and Paul-Cheadle). 2004;32:57-62

Piperacillin

Impact of a formulary switch from ticarcillin-clavulanate to piperacillin-tazobactam on colonization with vancomycin-resistant enterococci (Winston et al). 2004;32:462-9

Pneumococcal vaccines

New & noteworthy (Olmsted). 2004;32:516-7 (New & noteworthy)

Pneumonia

New & noteworthy (Olmsted). 2004;32:516-7 (New & noteworthy)

Nosocomial pneumonia in the intensive care unit of a Brazilian hospital: an analysis of the time span from admission to disease onset (Gusmão et al). 2004;32:209-14

Stress ulcer prophylaxis and risk of developing ventilator-associated pneumonia (Jamulitrat et al). 2004;32:52 (Letter)

Polymerase chain reaction

Polymerase chain reaction used for the detection of airborne *Mycobacterium tuberculosis* in health care settings (Wan et al). 2004;32:17-22

Practice forum

Practice forum. 2004;32:239-45, 301-8, 421-30

Protective clothing

Effective personal protective clothing for health care workers attending patients with severe acute respiratory syndrome (Wong et al). 2004;32:90-6

If there now is a "standard test" for barrier materials, why the need for two more? (Belkin). 2004;32:313-6 (Letter)

Perspectives on barrier material standards for operating rooms (Koch). 2004;32:114-6 (Commentary)

Q**Quality indicators, health care**

New & noteworthy (Olmsted). 2004;32:516-7 (New & noteworthy)

R**Research**

2004 State of the science and science to practice (Gilliam). 2004;32:496 (State of the science)

The use of systematic reviews and meta-analyses in infection control and hospital epidemiology (Bent et al). 2004;32:246-54 (Current methodological concepts)

Respirators

Respiratory protection against bioaerosols: literature review and research needs (Rengasamy et al). 2004;32:345-54 (State of the science report)

Respiratory tract infections

New & noteworthy (Olmsted). 2004;32:516-7 (New & noteworthy)

S**Safety management**

New & noteworthy (Olmsted). 2004;32:516-7 (New & noteworthy)

The state of the science of health care epidemiology, infection control, and patient safety. 2004 (Jarvis). 2004;32:496-503 (State of the science)

Salmonella

Evaluation of a public health *Salmonella* surveillance system in King County, Washington (Takahashi et al). 2004;32:7-11

Serotyping

Evaluation of a public health *Salmonella* surveillance system in King County, Washington (Takahashi et al). 2004;32:7-11

Severe acute respiratory syndrome

Effective personal protective clothing for health care workers attending patients with severe acute respiratory syndrome (Wong et al). 2004;32:90-6

Infection control practices for SARS in Lao People's Democratic Republic, Taiwan, and Thailand: experience from mobile SARS containment teams, 2003 (Lee et al). 2004;32:377-83

Patient safety tools to avoid disaster: health care facility management of biologic agents, SARS, and uncommon contagion (Fishman et al). 2004;32:421-3 (Practice forum)

Preventive strategies to keep Saudi Arabia SARS-free (Madani). 2004;32:120-1 (Letter)

Universal SARS preventive measures in an obstetrics unit: experience of health care staff (Chan et al). 2004;32:417-20 (Brief rep.)

Shigellosis

Is there an association between shigellosis incidence and socioeconomic status in metropolitan Haifa? (Dubnov et al). 2004;32:274-7

Skin

Reducing percutaneous injuries at an academic health center: a 5-year review (Trapé-Cardoso and Schenck). 2004;32:301-5 (Practice forum)

Skin health is an overlooked element of infection control (Hamann et al). 2004;32:121-2 (Letter)

Smallpox

The effect of semipermeable dressings on smallpox vaccine site evolution (Regules et al). 2004;32:333-6

Frequency of vaccinia virus isolation on semipermeable versus nonocclusive dressings covering smallpox vaccination sites in hospital personnel (Hepburn et al). 2004;32:126-30

Socioeconomic factors

Is there an association between shigellosis incidence and socioeconomic status in metropolitan Haifa? (Dubnov et al). 2004;32:274-7

Sodium hypochlorite

Practical limitations of disinfection of body fluid spills with 10,000 ppm sodium hypochlorite (NaOCl) (Chitnis et al). 2004;32:306-8 (Practice forum)

Special articles

Special articles. 2004;32:97-113, 123-5, 470-85

Staphylococcus aureus

Dissemination of nosocomial multiple-aminoglycoside-resistant *Staphylococcus aureus* caused by horizontal transfer of the resistance determinant (*aacA/aphD*) and clonal spread of resistant strains (Udou). 2004;32:215-9

The effect of moving to a new hospital facility on the prevalence of methicillin-resistant *Staphylococcus aureus* (Vietri et al). 2004;32:262-7

Methicillin-resistant and -sensitive *Staphylococcus aureus* nasal colonization of insulin-dependent children with juvenile onset diabetes mellitus (Canario et al). 2004;32:371-2 (Letter)

Prediction rules to identify patients with methicillin-resistant *Staphylococcus aureus* and vancomycin-resistant enterococci upon hospital admission (Furuno et al). 2004;32:436-40

Rapid control of an outbreak of *Staphylococcus aureus* on a neonatal intensive care department using standard infection control practices and nasal mupirocin (Lally et al). 2004;32:44-7 (Clinical case study)

Staphylococcus aureus and wounds: a review of tea tree oil as a promising antimicrobial (Halcón and Milkus). 2004;32:402-8

Staphylococcus epidermidis

Epidemiologic and clinical features of a sepsis caused by methicillin-resistant *Staphylococcus epidermidis* (MRSE) in a pediatric intensive care unit (Tekerekoglu et al). 2004;32:362-4 (Brief rep.)

State of the science report

State of the science report. 2004;32:177-83, 345-54, 496, 496-503, 504, 504-11

Stenotrophomonas maltophilia

Nosocomial *Stenotrophomonas maltophilia* cross-infection: three cases in newborns (Gulcan et al). 2004;32:365-8 (Brief rep.)

Sterilization

Monitoring of steam sterilization process by biologic indicators—a necessary surveillance tool (Kelkar and Bal). 2004;32:512-3 (Letter)

Students, nursing

Needlestick/sharps injuries among school nursing students in southern Taiwan (Yang et al). 2004;32:431-5

Surgery

Failure rates in nonlatex surgical gloves (Korniewicz et al). 2004;32:268-73

Surgical wound infections

Postdischarge surveillance: the impact on surgical site infection incidence in a Brazilian university hospital (Oliveira and Carvalho). 2004;32:358-61 (Brief rep.)

Promoting quality through surveillance of surgical site infections: five prevention success stories (Geubbels et al). 2004;32:424-30 (Practice forum)

Risk factors for surgical site infections following open-heart surgery in a Canadian pediatric population (Nateghian et al). 2004;32:397-401

Surgical site infections in cardiac surgery: an 11-year perspective (Martorell et al). 2004;32:63-8

Surveillance

Evaluation of a public health *Salmonella* surveillance system in King County, Washington (Takahashi et al). 2004;32:7-11

Field- and laboratory-based active dengue surveillance in Chennai, Tamil Nadu, India: observations before and during the 2001 dengue epidemic (Kabilan et al). 2004;32:391-6

Monitoring of steam sterilization process by biologic indicators—a necessary surveillance tool (Kelkar and Bal). 2004;32:512-3 (Letter)

National Nosocomial Infections Surveillance (NNIS) System Report, data summary from January 1992 through June 2004, issued October 2004 (NNIS System). 2004;32:470-85 (Special article)

Nosocomial bloodstream infection surveillance in trauma centers: the lack of uniform standards (El Masri et al). 2004;32:370-1 (Letter)

Postdischarge surveillance: the impact on surgical site infection incidence in a Brazilian university hospital (Oliveira and Carvalho). 2004;32:358-61 (Brief rep.)

Promoting quality through surveillance of surgical site infections: five prevention success stories (Geubbels et al). 2004;32:424-30 (Practice forum)

Prospective surveillance study for risk factors of central venous catheter-related bloodstream infections (Hosoglu et al). 2004;32:131-4

Validation of a multicenter computer-based surveillance system for hospital-acquired bloodstream infections in neonatal intensive care departments (Graham et al). 2004;32:232-4 (Brief rep.)

Systemic reviews

The use of systematic reviews and meta-analyses in infection control and hospital epidemiology (Bent et al). 2004;32:246-54 (Current methodological concepts)

T

Tattooing

Monitoring and educational feedback to improve the compliance of tattooists and body piercers with infection control standards: a randomized controlled trial (Oberdorfer et al). 2004;32:147-54

Tazobactam

Impact of a formulary switch from ticarcillin-clavulanate to piperacillin-tazobactam on colonization with vancomycin-resistant enterococci (Winston et al). 2004;32:462-9

Tea tree oil

Inhalation phytochemicals as possible treatment for pulmonary tuberculosis: two case reports (Sherry et al). 2004;32:369-70 (Letter)

Staphylococcus aureus and wounds: a review of tea tree oil as a promising antimicrobial (Halcón and Milkus). 2004;32:402-8

Ticarcillin

Impact of a formulary switch from ticarcillin-clavulanate to piperacillin-tazobactam on colonization with vancomycin-resistant enterococci (Winston et al). 2004;32:462-9

Toys

Toys in a pediatric hospital: are they a bacterial source? (Avila-Aguero et al). 2004;32:287-90

Trauma centers

Nosocomial bloodstream infection surveillance in trauma centers: the lack of uniform standards (El Masri et al). 2004;32:370-1 (Letter)

Tuberculin skin testing

The anergy panel: an ineffective tool to validate tuberculin skin testing (Squier et al). 2004;32:242-5 (Practice forum)

Factors influencing health care worker's adherence to work site tuberculosis screening and treatment policies (Joseph et al). 2004;32:456-61

Tuberculosis

The anergy panel: an ineffective tool to validate tuberculin skin testing (Squier et al). 2004;32:242-5 (Practice forum)

Contact investigation of a case of active tuberculosis (Collins et al). 2004;32:38-43 (Clinical case study)

Inhalation phytochemicals as possible treatment for pulmonary tuberculosis: two case reports (Sherry et al). 2004;32:369-70 (Letter)

Polymerase chain reaction used for the detection of airborne *Mycobacterium tuberculosis* in health care settings (Wan et al). 2004;32:17-22

Respiratory protection against bioaerosols: literature review and research needs (Rengasamy et al). 2004;32:345-54 (State of the science report)

U

Ulcers

Stress ulcer prophylaxis and risk of developing ventilator-associated pneumonia (Jamulitrat et al). 2004;32:52 (Letter)

Urinary tract infections

Role of biofilm in catheter-associated urinary tract infection (Trautner and Darouiche). 2004;32:177-83 (State of the science report)

V

Vaccinations

The effect of semipermeable dressings on smallpox vaccine site evolution (Regules et al). 2004;32:333-6

Frequency of vaccinia virus isolation on semipermeable versus nonocclusive dressings covering smallpox vaccination sites in hospital personnel (Hepburn et al). 2004;32:126-30

Vaccinia virus

Frequency of vaccinia virus isolation on semipermeable versus nonocclusive dressings covering smallpox vaccination sites in hospital personnel (Hepburn et al). 2004;32:126-30

Vancomycin resistance

Impact of a formulary switch from ticarcillin-clavulanate to piperacillin-tazobactam on colonization with vancomycin-resistant enterococci (Winston et al). 2004;32:462-9

Prediction rules to identify patients with methicillin-resistant *Staphylococcus aureus* and vancomycin-resistant enterococci upon hospital admission (Furuno et al). 2004;32:436-40

Ventilators, mechanical

New & noteworthy (Olmsted). 2004;32:516-7 (New & noteworthy)

Vitamin E

New & noteworthy (Olmsted). 2004;32:516-7 (New & noteworthy)

W

West Nile virus

West Nile virus: a primer for infection control professionals (Goertz and Goldrick). 2004;32:101-5 (Special article)

